Apokalypsa odvetného útoku na US základne na Slovensku, tzv „Naďov jadrový bumerang“. Čo hrozí z útočnej zmluvy s najväčším svetovým vojnovým štváčom a teroristom USA

- CZ24 News | 11. ledna 2022

SLOVENSKO: Apokalypsa odvetného útoku na US základne na Slovensku, tzv „Naďov jadrový bumerang“. Čo hrozí z útočnej zmluvy s najväčším svetovým vojnovým štváčom a teroristom USA

Čo postihne Slovensko v prípade reakcie Ruskej federácie na útok USA zo slovenských letísk odovzdaných američanom?

Tak by to vyzeralo, pri spätnom útoku o sile 5M.


Spádové zóny zásahov: Zabitých alebo postihnutých 400 000 Slovákov v okruhu cieľa Sliač. Zabitých alebo postihnutých 1 200 000 Slovákov v okruhu cieľa Kuchyňa



Effects radius (in km.) - 5000.0 kt.

Fireball:	0,914	Radiation:	
Air blast (20 psi):	4,65	Air blast (4.6	
Thermal radiation:	22,6		

20 psi=1.40 kg/cm2 / 4.6 psi=0.32 kg/cm2



Effects radius (in km.) - 5000.0 kt.

Fireball:	0,914	Radiation:	
Air blast (20 psi):	4,65	Air blast (4.6	
Thermal radiation:	22,6		

20 psi=1.40 kg/cm2 / 4.6 psi=0.32 kg/cm2

Air blast (20 psi):

Radius:4,65 km / Area:68,0 km2

At 1.40 kg/cm2 overpressure shock wave generated by explosion, heavily built concrete buildings are severely damaged or demolished. Casualties approach 100%.

Air blast (4.6 psi):

Radius:12,3 km / Area:474 km2

At 0.323 kg/cm2 overpressure shock wave generated by explosion, most residential buildings collapse. Injuries are universal. Casualties are widespread.

Fireball:

Radius:0,914 km / Area:2,63 km2

Maximum size of the nuclear fireball. Relevance to lived effects depends on height of detonation. If it touches the ground, the amount of radioactive fallout is significantly increased.

Radiation:

Radius:4,24 km / Area:56,4 km2

At 500 rem radiation dose and without medical treatment, there can be expected between 50% and 90% mortality from acute effects alone. Dying takes between several hours and several weeks.

Thermal radiation:

Radius:22,6 km / Area:1600 km2

Third-degree burns to all exposed skin. Starts fires in flammable materials, contributes to firestorm if is large enough. Third degree burns extend throughout the layers of skin, and are often painless because they destroy the pain nerves. They can cause severe scarring or disablement, and can require amputation.