

Conditions Contributing to Deaths where COVID-19 was listed on the death certificate ¹	ICD-10 codes	Number of Conditions Age Group								
		All ages	0-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Influenza and pneumonia	J09-J18	71,700	122	596	1,521	4,186	10,014	16,301	19,091	19,867
Chronic lower respiratory diseases	J40-J47	14,556	25	65	152	424	1,563	3,460	4,597	4,269
Adult respiratory distress syndrome	J80	22,747	62	245	649	1,868	3,947	5,992	5,516	4,466
Respiratory failure	J96	57,502	106	424	1,078	3,153	7,632	13,264	15,835	16,007
Respiratory arrest	R09.2	3,422	8	24	66	161	377	701	926	1,159
Other diseases of the respiratory system	J00-J06, J20-J39, J60-J70, J81-J86, J90-J95, J97-J99, U04	5,971	21	52	123	304	759	1,267	1,600	1,845
Circulatory diseases		-	-	-	-	-	-	-	-	-
Hypertensive diseases	I10-I15	37,314	16	104	475	1,614	4,500	8,157	10,270	12,177
Ischemic heart disease	I20-I25	19,128	2	26	99	443	1,744	3,935	5,799	7,078
Cardiac arrest	I46	21,034	52	197	496	1,378	3,040	4,764	5,291	5,815
Cardiac arrhythmia	I44, I45, I47-I49	10,400	9	23	62	235	757	1,870	3,050	4,394
Heart failure	I50	11,056	5	41	86	288	933	1,902	3,060	4,741
Cerebrovascular diseases	I60-I69	8,084	7	24	84	285	921	1,814	2,364	2,584
Other diseases of the circulatory system	I00-I09, I26-I43, I51, I52, I70-I99	9,241	40	103	220	534	1,199	2,058	2,292	2,795
Sepsis	A40-A41	14,918	32	142	374	1,100	2,553	4,101	3,765	2,851
Malignant neoplasms	C00-C97	7,805	26	36	94	296	1,059	2,034	2,358	1,902
Diabetes	E10-E14	27,528	44	176	630	1,895	4,543	7,393	7,346	5,500
Obesity	E65-E68	6,059	84	291	681	1,089	1,509	1,432	753	220
Alzheimer disease	G30	5,920	0	0	0	2	51	397	1,720	3,750
Vascular and unspecified dementia	F01, F03	19,400	0	0	2	21	293	1,804	5,705	11,575
Renal failure	N17-N19	14,529	17	120	305	948	2,151	3,724	3,817	3,445

		Number of Conditions								
		Age Group								
Conditions Contributing to Deaths where COVID-19 was listed on the death certificate ¹	ICD-10 codes	All ages	0-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Intentional and unintentional injury, poisoning and other adverse events	S00-T98, V01-X59, X60-X84, X85-Y09, Y10-Y36, Y40-Y89, U01-U03	5,424	40	135	197	335	628	1,061	1,306	1,720
All other conditions and causes (residual)	A00-A39, A42-B99, D00-E07, E15-E64, E70-E90, F00, F02, F04-G26, G31-H95, K00-K93, L00-M99, N00-N16, N20-N99, O00-O99, P00-P96, Q00-Q99, R00-R08, R09.0, R09.1, R09.3, R09.8, R10-R99	82,433	270	737	1,700	4,470	11,089	19,265	21,546	23,347

„Table 3 shows the types of health conditions and contributing causes mentioned in conjunction with deaths involving coronavirus disease 2019 (COVID-19). For 6% of the deaths, COVID-19 was the only cause mentioned. For deaths with conditions or causes in addition to COVID-19, on average, there were 2.6 additional conditions or causes per death. The number of deaths with each condition or cause is shown for all deaths and by age groups.“

Zdroj:

https://www.cdc.gov/nchs/nvss/vsrr/covid_weekly/index.htm?fbclid=IwAR2-muRM3tB3uBdbTrmKwH1NdaBx6PpZo2kxotNwkUXlnbZXCwSRP2OmqsI

Překlad: HS